



We are pleased to announce that Ruger scope rings now will be packaged individually. This will allow customers to purchase only the ring they need, or mix and match, without the added expense of purchasing two rings at a time. For example, the Ruger M77® Hawkeye® rifles are shipped from the factory with a #4 front ring and a #5 rear ring, which translates to a medium height scope mount. If the customer desires a high scope mount, he only need to mount the #5 ring on the front scope mount, and purchase one new #6 ring to mount on the rear scope mount.

Scope ring heights will be identified by a number manufactured into the lower half of the ring. Below is a complete new ring chart, and attached is a chart that will allow you to cross-reference the old and new rings. For more information, contact the Newport, New Hampshire Product Service Department at (603) 865-2442.

**Individually Packaged
Ruger® Scope Ring Identification Chart**



Scope Ring Designations

- 3 – Low scope ring
- 4 – Medium scope ring
- 5 – High scope ring
- 6 – Extra high scope ring
- B – Alloy
- K – Stainless
- M – Matte
- HM – Hawkeye Matte
- TG – Target Grey®
- 30 – 30mm
- O – Offset
- Red Type** – Indicates model rings shipped with firearm
- Black Type** – Indicates alternate size and configuration available for that model firearm
- + – 5K scope rings are shipped with K1-H and K1-S rifles
- * – Indicates **Offset** rings which feature one or two rings (single, double) that are offset to the rear by 1/2" to allow rearward positioning of the scope

| APPLICATION | Scope Objective Diameter | Scope Ring Height | Scope Ring Location | HM77R, HM77RS, HM77RSPHAB (Hawkeye - Matte Blued) | HKM77RFP (Hawkeye Matte Stainless) | M77 MKII, M77 (blued), M77RSEXP MKII, M77RMS MKII (blued) | M77FRBZ Frontier | KM77FRFG Target Grey® Front Barrel Mount Receiver Mount | KM77MKII (Stainless) | KM77MKIIVT (Target Grey® Stainless) | No. 1-A, 1-H, 1-RSI, 1-S, 77/50RS (Blued) | No. 1-V, 1-B (Blued) | K1-B, K1-V, K1-H, K1-S (Stainless) | 10/22 Mag., 96/44, 77/22 - .22LR & Mag., & 77/17 (Blued) | K77/22 - .22LR & .22WMR (Stainless) | |
|-----------------------------------|--------------------------|-------------------------|---------------------|---|------------------------------------|---|------------------|---|----------------------|-------------------------------------|---|----------------------|------------------------------------|--|-------------------------------------|------|
| 1 INCH SCOPE TUBE DIAMETER | 32MM | LOW #3 | Front | 3BHM | 3KHM | 3B | 3B | 3KTG | 3K | 3KTG | 3B | 3B | 3K | 3B | 3K | |
| | | | Rear | 4BHM | 4KHM | 4B | 3B | 3KTG | 4K | 4KTG | 3B | 3B | 3K | 3B | 3K | |
| | 42MM | MEDIUM #4 | Front | 4BHM | 4KHM | 4B | 4B | 4KTG | 5KTG | 4K | 4KTG | 4B | 4B | 4K | 4B | 4K |
| | | | Rear | 5BHM | 5KHM | 5B | 4B | 4KTG | 6KTG | 5K | 5KTG | 4B | 4B | 4K | 4B | 4K |
| | 52MM | HIGH #5 | Front | 5BHM | 5KHM | 5B | 5B | 5KTG | | 5K | 5KTG | 5B | 5B | 5K+ | 5B | 5K |
| | | | Rear | 6BHM | 6KHM | 6B | 5B | 5KTG | | 6K | 6KTG | 5B | 5B | 5K+ | 5B | 5K |
| | 62MM | X-HIGH #6 | Front | | | | 6B | 6KTG | | | | 6B | 6B | 6K | 6B | 6K |
| | | | Rear | | | | 6B | 6KTG | | | | 6B | 6B | 6K | 6B | 6K |
| 30MM SCOPE TUBE DIAMETER | 42MM | 30MM MEDIUM #4 | Front | 4B30 | 4K30 | 4B30 | 4B30 | 4K30 | 4K30 | 4K30 | 4B30 | 4B30 | 4K30 | 4B30 | 4K30 | |
| | | | Rear | 5B30 | 5K30 | 5B30 | 4B30 | 4K30 | 5K20 | 5K30 | 4B30 | 4B30 | 4K30 | 4B30 | 4K30 | |
| | 52MM | 30MM HIGH #5 | Front | 5B30 | 5K30 | 5B30 | 5B30 | 5K30 | 5K30 | 5K30 | 5B30 | 5B30 | 5K30 | 5B30 | 5K30 | |
| | | | Rear | 6B30 | 6K30 | 6B30 | 5B30 | 5K30 | 6K30 | 6K30 | 5B30 | 5B30 | 5L30 | 5B30 | 5K30 | |
| | 62MM | 30MM X-HIGH #6 | Front | | | | 6B30 | 6K30 | | | | 6B30 | 6B30 | 6K30 | 6B30 | 6K30 |
| | | | Rear | | | | 6B30 | 6K30 | | | | 6B30 | 6B30 | 6K30 | 6B30 | 6K30 |
| 1 INCH SCOPE TUBE DIAMETER OFFSET | 42MM | OFFSET MEDIUM #4 | Front | 4BO* | 4KO* | 4BO* | | | 4KO* | 4KO* | 4BO* | 4BO* | 4KO* | | | |
| | | | Rear | 5B | 5K | 5B | | | 5K | 5K | 4B | 4B | 4K | | | |
| | 42MM | DOUBLE OFFSET MEDIUM #4 | Front | | | | | | | | 4BO* | 4BO* | 4KO* | | | |
| | | | Rear | | | | | | | | 4BO* | 4BO* | 4KO* | | | |

All rings are for 1" tube diameter EXCEPT those marked 30mm which are for 30mm diameter scopes.



We are pleased to announce that Ruger scope rings now will be packaged individually. This will allow customers to purchase only the ring they need, or mix and match, without the added expense of purchasing two rings at a time. For example, the Ruger M77® Hawkeye® rifles are shipped from the factory with a #4 front ring and a #5 rear ring, which translates to a medium height scope mount. If the customer desires a high scope mount, he only need to mount the #5 ring on the front scope mount, and purchase one new #6 ring to mount on the rear scope mount.

Scope ring heights will be identified by a number manufactured into the lower half of the ring. Below is a complete new ring chart, and attached is a chart that will allow you to cross-reference the old and new rings. For more information, contact the Newport, New Hampshire Product Service Department at (603) 865-2442.

**Individually Packaged
Ruger® Scope Ring Identification Chart**

| APPLICATION | Scope Objective Diameter | Scope Ring Height | Scope Ring Location | K77/22 Varmint - .22LR & .22 Mag. (Stainless) | 99/44 (Deerfield), 77/22-RH, RSH (Hornet) | 77/44-S (Blued), Mini-14 & Redhawk RH44R (Blued) | Single Six Hunter | K77/44RSP (Stainless), Redhawk KRH44R (Blued) | KMini-14 & Mini Thirty Ranch (Stainless) | PC9 & PC4 Carbine (Blued) | K77/22VHZ Hornet Varmint, K77/17 - .17 HMR & .17 HMR | Super Redhawk .44 Mag. (Stainless) | Super Redhawk - .454 Casull & .480 Ruger | Mark II, Mark III Pistols (Stainless) | Mark II, Mark III Pistols (Blued) |
|-----------------------------------|--------------------------|-------------------------|---------------------|---|---|--|-------------------|---|--|---------------------------|--|------------------------------------|--|---------------------------------------|-----------------------------------|
| 1 INCH SCOPE TUBE DIAMETER | 32MM | LOW #3 | Front | | | | 3K | | | | | 4K | 4KTG | 3K | 3B |
| | | | Rear | | | | 3K | | | | | 3K | 3KTG | 3K | 3B |
| | 42MM | MEDIUM #4 | Front | 4KTG | 4B | 4B | 4K | 4K | 4KHM | 4B | 4KTG | 5K | 5KTG | 4K | 4B |
| | | | Rear | 4KTG | 4B | 4B | 4K | 4K | 4KHM | 4B | 4KTG | 4K | 4KTG | 4K | 4B |
| | 52MM | HIGH #5 | Front | 5KTG | 5B | 5B | 5K | 5K | 5KHM | 5B | 5KTG | 6K | 6KTG | 5K | 5B |
| | | | Rear | 5KTG | 5B | 5B | 5K | 5K | 5KHM | 5B | 5KTG | 5K | 5KTG | 5K | 5B |
| | 62MM | X-HIGH #6 | Front | 6KTG | 6B | 6B | 6K | 6K | 6KHM | 6B | 6KTG | | | 6K | 6B |
| | | | Rear | 6KTG | 6B | 6B | 6K | 6K | 6KHM | 6B | 6KTG | | | 6K | 6B |
| 30MM SCOPE TUBE DIAMETER | 42MM | 30MM MEDIUM #4 | Front | 4K30 | 4B30 | 4B30 | 4K30 | 4K30 | 4K30 | 4B30 | 4K30 | 5K30 | 5K30 | 4K30 | 4B30 |
| | | | Rear | 4K30 | 4B30 | 4B30 | 4K30 | 4K30 | 4K30 | 4B30 | 4K30 | 4K30 | 4K30 | 4K30 | 4K30 |
| | 52MM | 30MM HIGH #5 | Front | 5K30 | 5B30 | 5B30 | 5K30 | 5K30 | 5K30 | 5B30 | 5K30 | 6K30 | 6K30 | 5K30 | 5B30 |
| | | | Rear | 5K30 | 5B30 | 5B30 | 5L30 | 5K30 | 5K30 | 5B30 | 5K30 | 5K30 | 5K30 | 5K30 | 5K30 |
| | 62MM | 30MM X-HIGH #6 | Front | 6K30 | 6B30 | 6B30 | 6K30 | 6K30 | 6K30 | 6B30 | 6K30 | | | 6K30 | 6B30 |
| | | | Rear | 6K30 | 6B30 | 6B30 | 6K30 | 6K30 | 6K30 | 6B30 | 6K30 | | | 6K30 | 6B30 |
| 1 INCH SCOPE TUBE DIAMETER OFFSET | 42MM | OFFSET MEDIUM #4 | Front | | | | | | | | | | | | |
| | | | Rear | | | | | | | | | | | | |
| | 42MM | DOUBLE OFFSET MEDIUM #4 | Front | | | | | | 4KO* | | | | | | |
| | | | Rear | | | | | | 4KO* | | | | | | |



Scope Ring Designations

- 3 – Low scope ring
- 4 – Medium scope ring
- 5 – High scope ring
- 6 – Extra high scope ring
- B – Alloy
- K – Stainless
- M – Matte
- HM – Hawkeye Matte
- TG – Target Grey®
- 30 – 30mm
- O – Offset
- Red Type** – Indicates model rings shipped with firearm
- Black Type** – Indicates alternate size and configuration available for that model firearm
- + – 5K scope rings are shipped with K1-H and K1-S rifles
- * – Indicates **Offset** rings which feature one or two rings (single, double) that are offset to the rear by 1/2" to allow rearward positioning of the scope

All rings are for 1" tube diameter EXCEPT those marked 30mm which are for 30mm diameter scopes.



Old Blister

New Clam Shell

| Acc. # | Blister # | Part # | Acc. # | Clam Shell # |
|--------|-------------|-----------|--------|--------------|
| 90002 | D71L | D07110A | 90269 | 3B |
| | | D07111B | 90270 | 4B |
| 90025 | D71M | D07111B | 90270 | 4B |
| | | D07112B | 90271 | 5B |
| | D71MHM | D07111HMA | 90278 | 4BHM |
| | | D07112HMA | 90279 | 5BHM |
| 90079 | D71H | D07112B | 90271 | 5B |
| | | D07113A | 90272 | 6B |
| | D71HHM | D07112HMA | 90279 | 5BHM |
| | | D07113HMA | 90280 | 6BHM |
| 90003 | S100RL | D07110A | 90269 | 3B |
| | | D07110A | 90269 | 3B |
| 90024 | S100RM | D07111B | 90270 | 4B |
| | | D07111B | 90270 | 4B |
| 90037 | S100RH | D07112B | 90271 | 5B |
| | | D07112B | 90271 | 5B |
| 90110 | S100RXH | D07113A | 90272 | 6B |
| | | D07113A | 90272 | 6B |
| 90130 | D71M30MM | D07114A | 90273 | 4B30 |
| | | D07115A | 90274 | 5B30 |
| 90131 | D71H30MM | D07115A | 90274 | 5B30 |
| | | D07116A | 90275 | 6B30 |
| 90134 | S100RM30MM | D07114A | 90273 | 4B30 |
| | | D07114A | 90273 | 4B30 |
| 90135 | S100RH30MM | D07115A | 90274 | 5B30 |
| | | D07115A | 90274 | 5B30 |
| 90136 | S100RXH30MM | D07116A | 90275 | 6B30 |
| | | D07116A | 90275 | 6B30 |
| 90103 | D71MO | D-72XA | 90276 | 4BO |
| | | D07112B | 90271 | 5B |
| 90140 | S100RMO | D-72XA | 90276 | 4BO |
| | | D07111B | 90270 | 4B |
| 90141 | S100RMOO | D-72XA | 90276 | 4BO |
| | | D-72XA | 90276 | 4BO |



RUGER®

Old Blister

New Clam Shell

| Acc. # | Blister # | Part # | Acc. # | Clam Shell # |
|--------|--------------|------------|--------|--------------|
| | | | 90289 | 3KHM |
| 90067 | KD71L | KD07110A | 90281 | 3K |
| | | KD07111C | 90282 | 4K |
| | KD71L(NH) | KD07110A | 90281 | 3K |
| | | KD07111C | 90282 | 4K |
| | KD71LTG(NH) | KD07110TGA | 90293 | 3KTG |
| | | KD07111TGA | 90294 | 4KTG |
| 90142 | KD71LTG | KD07110TGA | 90293 | 3KTG |
| | | KD07111TGA | 90294 | 4KTG |
| 90083 | KD71M | KD07111C | 90282 | 4K |
| | | KD07112B | 90283 | 5K |
| | KD71MHM | KD07111HMA | 90290 | 4KHM |
| | | KD07112HMA | 90291 | 5KHM |
| 90081 | KD71H | KD07112B | 90283 | 5K |
| | | KD07113B | 90284 | 6K |
| | KD71HHM | KD07112HMA | 90291 | 5KHM |
| | | KD07113HMA | 90292 | 6KHM |
| 90117 | KD71HTG | KD07111TGA | 90294 | 4KTG |
| | | KD07112TGA | 90295 | 5KTG |
| 90108 | KD72MTG | KD07111TGA | 90294 | 4KTG |
| | | KD07111TGA | 90294 | 4KTG |
| 90109 | KD72HTG | KD07112TGA | 90295 | 5KTG |
| | | KD07112TGA | 90295 | 5KTG |
| 90235 | KD72H-MATTE | KD07112TA | 90291 | 5KHM |
| | | KD07112TA | 90291 | 5KHM |
| 90023 | KS100RM | KD07111C | 90282 | 4K |
| | | KD07111C | 90282 | 4K |
| | KS100RM(NH) | KD07111C | 90282 | 4K |
| | | KD07111C | 90282 | 4K |
| 90082 | KS100RH | KD07112B | 90283 | 5K |
| | | KD07112B | 90283 | 5K |
| 90111 | KS100RXH | KD07113B | 90284 | 6K |
| | | KD07113B | 90284 | 6K |
| 90215 | KD-71MO | KD-72XA | 90288 | 4KO |
| | | KD07112B | 90283 | 5K |
| 90216 | KS100RMO | KD-72XA | 90288 | 4KO |
| | | KD07111C | 90282 | 4K |
| 90217 | KS100RMOO | KD-72XA | 90288 | 4KO |
| | | KD-72XA | 90288 | 4KO |
| 90132 | KD71M30MM | KD07114A | 90285 | 4K30 |
| | | KD07115A | 90286 | 5K30 |
| 90133 | KD71H30MM | KD07115A | 90286 | 5K30 |
| | | KD07116A | 90287 | 6K30 |
| 90137 | KS100RM30MM | KD07114A | 90285 | 4K30 |
| | | KD07114A | 90285 | 4K30 |
| 90138 | KS100RH30MM | KD07115A | 90286 | 5K30 |
| | | KD07115A | 90286 | 5K30 |
| 90139 | KS100RXH30MM | KD07116A | 90287 | 6K30 |
| | | KD07116A | 90287 | 6K30 |