

Wilderness Tactical Safepacker Sizing Notes

*Important sizing notes:

- Right-hand denotes a right-handed shooter, left-hand a left-handed shooter. The Safepacker is hand-carried in the support-side hand and accessed with the dominant hand.
- Firearm models shown in **yellow** require the optional short-slide muzzle spacer to fit properly. Please choose this option if necessary.
- **Frame-mounted lasers** forward of the trigger guard maGPy cause interference with the stitch line that divides the muzzle pocket from the spare magazine pocket. We have seen the fitting problem in smaller pistols, but have not seen it yet in larger pistols as the stitch line in the larger Safepackers was previously moved to better accommodate some frame-mounted white lights. Our Mini-9 Safepacker was designed with a modified stitch line to solve this issue for smaller pistols.
- Due to the enclosed design of the Safepacker holster, **Frame-mounted lasers** with cross-bolt activation switches may be inadvertently activated during handling of the case. We do not recommend the Safepacker for firearms using this activation mechanism.
- Safepackers are sized for use with magazines using standard factory floorplates. Extended floorplates for added capacity or finger extensions (most common on Glocks) may not fit properly in the standard size. When possible, we have checked the modified size and list which Safepacker is appropriate below. If the weapon/light increases the overall length of the firearm you will need to choose the next longer size Safepacker to fit with the light mounted. Standard-size plastic floorplates/bumper pads on Wilson, Les Baer and McCormick 1911 magazines fit with no problem.



LCP (formerly the "Mustang" size)

External dimensions: 5-1/2" X 6"

Colt Mustang/Pony (*Will NOT FIT Colt Government .380; see MINI-9 below), Kel-Tec P-32/P-3AT .380, S&W Bodyguard .380 with built-in laser, Beretta Tomcat/Bobcat, NAA Guardian, Seecamp LWS, Kahr P380, Ruger LCP (*works with Crimson Trace® LaserGuard®; does not fit well with LaserMax CenterFire™), Kahr P380, etc. *This is a very compact case that fits snugly. Some users prefer more space inside the case to obtain a better firing grip on these pistols and choose the J-FRAME Safepacker below.

**Sig P238 is slightly too long to fit the current MUSTANG size. See J-FRAME below.



J-Frame

External dimensions: 6-5/8" X 7"

S&W Centennial/Bodyguard/Chief's Special 1-7/8" – 2-1/8" bbl. J-frames with low-profile birdshead, Uncle Mike's "Boot Grips" (oversized "Combat Grips" require a larger Safepacker; see below), low-profile Crimson Trace plastic LG-205 and LG-405 (with frontstrap and backstrap overmolded inserts) Lasergrips, Taurus M85 with compact wood grips, Sig P238, Ruger LCR w. Crimson Trace LG-411 Lasergrips (*LCR w. factory rubber grips fits slightly better in the J-FRAME+1, but can be used with the J-FRAME)

J-Frame +1"

External dimensions: 6-5/8" X 8"

Adds 1" of length for S&W J-frame 63-5/317/360 .22LR Kit Guns with 3-1/8" barrels and low-profile birdshead or long or short "Boot Grips", Ruger LCR w. factory Hogue rubber grips (*LCR w. CTC Lasergrips will fit the standard J-FRAME above).

Mini-9 NEW SIZE!

External dimensions: 6-5/8" X 7"

Designed specifically for small, subcompact pistols that may have under-barrel factory laser aimers. ***Note that only standard capacity magazines will typically fit correctly in the spare magazine pouch; extended-capacity magazines or some finger-rest basepads are too long and will bump into the pistol's grip, interfering with acquiring a firing grip and possibly activating some lasers.**

Springfield XD's .45, Beretta Nano, Sig P290 with low-profile basepad or extended magazine, Walther PPS (with 6-round flush mag, see OFFICERS for compatibility with extended mags), ***S&W Shield ONLY (will fit gun ALONE with no spare magazine; see OFFICERS size below for regular size)**, PPK, PPK/S, Kahr Mk9/Mk40/PM9/PM40, Colt Government .380/Pocket 9, Kel-Tec P-11, Ruger LC9 with low-profile basepad or extended magazine with finger rest.



G-26/27

External dimensions: 6-1/2" X 8"

Glock 26/27/33/39 (not compatible with Glock +2 or Pearce grip extensions; see OFFICERS below), Walther P22 standard length (see OFFICERS below for modular laser compatibility)

*Springfield XD 3" Sub-Compact WILL NOT fit this size due to the height of the pistol; please see COMMANDER below.



Officers

External dimensions: 7" X 8"

Colt Officer's Model and similar including *Colt Defender, Kimber Ultra, Para-Ordnance Para Carry C6.45 and Springfield Micro Compact*, S&W M&P Compact 9C/40C, M&P Subcompact 9/40, *M&P Shield 9/40 with flush or +1 magazine*, Sig P230/P232/P239/P220 Compact, ParaOrdnance P-12, Beretta 84/85/86/Mini Cougar, S 908, Kahr K9/K40/P9/P40/CW9/CW40/P45, Ruger SP101 w. 2-1/4" bbl., etc.), S 1-7/8" – 2-1/8" bbl. J-frame with longer Uncle Mike's "Combat Grips" or longer "combat rubber" Crimson Trace LG-305 Lasergrips, *Makarov, Taurus PT145/PT111 Millennium Pro*, Walther PPS (with 7 or 8-round extended mag), P22 standard length w. laser attached.

*Muzzle spacer required for correct fit and function with spare magazine.



Commander

External dimensions: 7-3/8" X 8-1/4"

Colt Commander and similar including Kimber Compact/Pro/*Tactical Ultra*, Springfield Champion, Sig Scorpion Carry (non-TB), Glock*19/23/29/30/32/36/38/26/27/33/39 w. Glock +2 or Pearce grip extensions on mags, Sig P245/P228/P229 (see GOV'T for mounted weaponlight fitting)/P250 Full Size, HK USP-9/40/45 Compact/HK45C/P30 (all compact HKs must use low-profile magazine bases; *finger-rest basepads require use of GOVERNMENT version with an optional muzzle spacer due to interference with the spare magazine*), Springfield XD 3" Sub-Compact, XD Compact w. standard short mag/flat basepad as spare, XD 4" Service Model, S&W M&P 45C, 945-1 (standard mid-length), SW9F/SW40VE/Sigma/5906/4536, up to 3-1/8" bbl. J-frame 317/360 Kit Guns with longer "Combat Grips," L-frames w. "Boot Grips" or factory wood that does not wrap around the backstrap, Charter Arms Bulldog .44Spl 2.5" w. factory grips, *HK P7M8/P7M13 (*Will fit OFFICERS with no spacer, spare magazine won't fit)*, Ruger P95/P97, Ruger SP101 w. 3-1/16" bbl., CZ P01, Steyr MA1/M9/M40, Walther P88/P99/P990, Springfield SW99, Beretta 8000/8040/8045 Cougar full-size, Mauser M2, Taurus Judge 4510 "Public Defender" 2" bbl., etc.

*The Glock-branded weaponlight is slightly taller than the Insight/Streamlight M3-series or Surefire X200 and will not fit the COMMANDER size Safepacker correctly. Please choose the compatible GOVERNMENT model Safepacker for a correct fit which allows the weaponlight to be mounted in the holster.

*Muzzle spacer required for correct fit and function with spare magazine.



Government

External dimensions: 7-3/8" X 9-1/4"

All 1911-style frames with 5" bbl. and similar (including models from Colt, Springfield Armory, Kimber Custom II/Tactical III/*Tactical Pro II*, Wilson Combat, Les Baer, Nighthawk Custom, Rock River Arms, Taurus, Dan Wesson, etc.), Browning P-35 Hi-Power/BDM, Glock 17/18/20/21/22/31/37, Sig P220/P226/SigPro SP2340/SP2022/P228R and P229R with Streamlight TLR-2, S&W M&P 9/40/45, Springfield XDm/XD 5" Tactical (all calibers), **XD Compact (.45ACP) w. extended mag in grip or as spare**, Beretta 92/96/90-2/**PX4 Storm** (**Will fit OFFICERS with no spacer, spare magazine won't fit*), HK USP-40/USP-45/CT/HK45, **HK USP-40/45 Compact with finger-rest basepads on mags**, CZ 75, CZ 75 SP-01 Phantom, CZ 97B, CZ 75 Compact w. and w/o rail/**CZ 100**, FN Five-seveN (5.7), **FN P9/P40** (**Will fit OFFICERS with no spacer, spare magazine won't fit*), S&W 4506/4026/945 autos, S&W K/L-frame revolvers with up to 4" barrels/up to 3" N-frame revolvers** (S&W revolvers must use "Boot Grips" or other concealment grips that do not wrap around the backstrap or extend below the frame; see LGR below for larger profiles) S&W 329 Night Guard (for PD see LGR size below), Taurus Judge with 3" barrel & 2-1/2" cylinder (3" cylinder see GOV'T+1 below), PT-24/7 Pro/OSS Tactical, 4" bbl. Tracker .44 5-shot, Ruger SR9/P-85/P-89/P-90, etc.)

***Most large .44-.50 caliber speedloaders are too large in diameter and will not fit in the spare ammo pouch; we recommend Tuff Products QuickStrips as an alternative that should fit.*

**Muzzle spacer required for correct fit and function with spare magazine.*

Government +1"

External dimensions: 7 1/2" X 10 1/4"

Adds 1" in length for longer barreled weapons, including longslide Glocks. Please measure the maximum overall length for all others. Fits 9 3/4" overall length weapons, including Taurus Judge with 3" barrel & 3" cylinder (2 1/2" cylinder see standard GOV'T size above), S&W Governor, Glock 34/35, S&W 945 (full-length longer version), 6" longslide 1911 pistols, Dan Wesson 4" .357 Magnum, S&W M60 5".

Shown right: Left-hand Gov't.+1 size shown with Glock 17L longslide.

***Most large .44-.50 caliber speedloaders are too large in diameter and will not fit in the spare ammo pouch; we recommend Tuff Products QuickStrips as an alternative that should fit.*

Government +2"

External dimensions: 7 $\frac{3}{4}$ " X 11 $\frac{1}{4}$ "

Fits 10 $\frac{3}{4}$ " overall length weapons (Colt SAA 4 $\frac{1}{4}$ ", Ruger Super Blackhawk 4.62", works well for some integrally suppressed .22LR pistols and compact pistols with compact suppressors attached) Measure overall length to confirm fit.

***Most large .44-.50 caliber speedloaders are too large in diameter and will not fit in the spare ammo pouch; we recommend Tuff Products QuickStrips as an alternative that should fit.*

LGR* (Large Grip Revolver)

External dimensions: 8-5/8" wide x 10-5/8" deep

*This size is not compatible with our modular Safepacker products, including the Safepacker Briefcase, Packer Backer and Safepacker Runner's Pack.

Fits current generation S&W K, L and N-frames with up to 4" barrels, and X-frames with 2-3/4" barrels, with oversized combat grips that cover the backstrap or extend below the grip frame, such as Hogue large-frame Bantam and Monogrips, Uncle Mike's Combat Grips, Pachmayr Decelerator and newer S&W wood grips, including 329 PD, 325 Thunder Ranch Revolver. Also fits similar Ruger and Taurus revolvers, including the Ruger Super Redhawk Alaskan 2.5"/GP-100 w. 4.2" bbl. and Hogue Monogrips, Taurus 444 Titanium, etc. Other models include the CZ 75 TS Competition, FNP-45, HK USP Tactical .45/HK45T Tactical, and similar sized large frame autos. Shorter barrels require optional "Short-slide spacer" for correct fit. **Tested to fit even the big S&W 500ES 2.75" Alaska survival revolver!**

***Most large .44-.50 caliber speedloaders are too large in diameter and will not fit in the spare ammo pouch; we recommend Tuff Products QuickStrips as an alternative that should fit.*

LGR-Snub* (Large Grip Revolver - Snub-nosed barrel) **NEW SIZE!**

External dimensions: 8-5/8" wide x 9-5/8" deep

*This size is not compatible with our modular Safepacker products, including the Safepacker Briefcase, Packer Backer and Safepacker Runner's Pack.

A 1" shorter version of our LGR designed to fit revolvers with large grips and very short barrels, such as the S&W 327 Night Guard with 2.5" barrel, or the 327 with 2" barrel and similar.

***Most large .44-.50 caliber speedloaders are too large in diameter and will not fit in the spare ammo pouch; we recommend Tuff Products QuickStrips as an alternative that should fit.*

iPacker* **NEW SIZE!**

External dimensions: 8-5/8" wide x 10-5/8" deep

*This size is not compatible with our modular Safepacker products, including the Safepacker Briefcase, Packer Backer and Safepacker Runner's Pack.

A Safepacker for your iPad! Fits iPad 1, 2, and the new iPad (2012) with no case. Offers all the Safepacker benefits of protection from bumps, dust and moderate moisture, belt carry even on wide pack belts, low-profile, fast access, D-rings for a carry strap, and a hand-carry strap.